

Google Education - NotebookLM (web) Accessibility Conformance Report

International Edition, based on VPAT® Version 2.5

Name of product/version:	Google Education - NotebookLM (web)
Report date:	December 2025
Product description:	Web Application
Contact information:	vpat-questions@google.com
Evaluation methods used:	<p>The W3C Website Accessibility Conformance Evaluation Methodology (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers.</p> <p>The following applications were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none">• Desktop browsers: Chrome• Assistive technologies: NVDA• Accessibility testing tools: Axe DevTools Pro, Axe Auditor, Color Contrast Analyzer
Applicable standards/guidelines:	<p>This report covers the degree of conformance for the following accessibility standard/guidelines:</p> <ul style="list-style-type: none">• Web Content Accessibility Guidelines 2.0 Level A and Level AA• Web Content Accessibility Guidelines 2.1 Level A and Level AA• Web Content Accessibility Guidelines 2.2 Level A and Level AA• Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018

¹ “Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

- [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 \(2019-11\)](#) And [EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 \(2021-03\)](#)

Tested Pages

- Add Sources
- Chat
- Discover a Source
- Generated Briefing Doc
- History
- Home - Welcome to Notebook LM
- Mindmap
- NotebookLM Refresh
- Open Existing Notebook
- Pregenerated question
- Refresh
- Remove a Source
- Source panel
- Source Panel - Open a source doc
- Studio - Create Artifact
- StudyGuide
- Welcome to NotebookLM dialog

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the audit:

- Welcome - Header

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services.
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

<p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most non-text content has text alternatives or a text alternative that serves an equivalent purpose. The following exceptions exist:</p> <ul style="list-style-type: none"> • An image does not have a text alternative, so people who are blind and/or use a screen reader will not be able to access the information available in the image, and if it is an active image, will not understand its function. This occurs on the following page: Mindmap. • A complex image does not have a text alternative, so people who are blind and/or use a screen reader will not be able to understand the information available in the image. This occurs on the following page: Mindmap.
--	--------------------------------	--

<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 pin header row(Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most prerecorded audio-only files (such as MP3 files and audio podcasts) and video-only files have a descriptive text transcript. The following exception exists:</p> <ul style="list-style-type: none"> • A transcript for an audio file is missing, so all essential dialogue, sound effects, and the identity of the speakers are not available for people who are deaf or hard of hearing. This occurs on the following page: Studio - Create Artifact.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) 	<p>Web: Not Applicable</p>	<p>Web: Prerecorded videos are not present.</p>

<ul style="list-style-type: none"> • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Web: Not Applicable</p>	<p>Web: Prerecorded videos are not present, so the audio description is not required.</p>

<ul style="list-style-type: none"> • 602.3 (Support Docs) 		
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exception exists:</p> <ul style="list-style-type: none"> • Some text that visually functions as a heading is not marked up as a heading, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following pages: Source Panel - Open a source doc; Pregenerated question.
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open 	<p>Web: Partially Supports</p>	<p>Web: The reading and navigation order of most content is logical and intuitive. The following exception exists:</p> <ul style="list-style-type: none"> • Screen readers can read content outside the modal dialog, so people who are blind and/or use a screen reader may become disoriented or confused. This occurs on the following page: Mindmap.

<p>Functionality Software)</p> <ul style="list-style-type: none"> • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Web: Supports</p>	<p>Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.</p>

<ul style="list-style-type: none"> • 602.3 (Support Docs) 		
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements. The following exception exists:</p> <ul style="list-style-type: none"> • Color is used as the only method to convey the state (such as "checked," "pressed," or "selected") of a control, so that information will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs in the following component: Welcome - Header.
<p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) 	<p>Web: Supports</p>	<p>Web: A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.</p>

<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.1.1 Keyboard</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: On most pages, all functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and access keys are present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen reader is turned on. The following exceptions exist:</p> <ul style="list-style-type: none"> • Multiple functions cannot be performed using only the keyboard, so people who use the keyboard alone to navigate and operate content cannot use these functions. This occurs on the following pages: Discover a Source; Mindmap; Source Panel - Open a source doc; Chat; Studio - Create Artifact. • The content in a scrollable region cannot be accessed using a keyboard, so people who use a keyboard to navigate will not be able to view this content. This occurs on the following pages: Generated Briefing Doc; StudyGuide. • An action cannot be performed when using a screen reader, so people who are blind and others who use a screen

		reader cannot perform this action. This occurs on the following page: Studio - Create Artifact.
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user can navigate to and from all navigable elements using only a keyboard.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open 	Web: Supports	Web: If a single-character key shortcut exists, then the single-character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.

<p>Functionality Software)</p> <ul style="list-style-type: none"> • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.</p>
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p>	<p>Web: Supports</p>	<p>Web: Moving, blinking, scrolling, or auto-updating information can be paused,</p>

<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>stopped, hidden, or otherwise controlled by the user.</p>
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1(Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	<p>Web: Not Applicable</p>	<p>Web: The tested application does not contain flashing content.</p>

<ul style="list-style-type: none"> • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) - Does not apply • 11.2.4.1 (Open Functionality Software) - Does not apply • 11.2.4.1 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does 	<p>Web: Supports</p>	<p>Web: A method is provided to skip navigation and other page elements that are repeated across web pages.</p>

<p>not apply to non-web docs</p>		
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most pages have descriptive and informative titles. The following exception exists:</p> <ul style="list-style-type: none"> • The page's programmatic title does not identify the purpose of the page, so people who use a screen reader will not know the purpose of the page without reading its content. This occurs on the following page: Open Existing Notebook.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) 	<p>Web: Partially Supports</p>	<p>Web: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability. The following exceptions exist:</p> <ul style="list-style-type: none"> • Keyboard focus is not moved to a modal when the modal opens, so people who use the keyboard to navigate content (including screen reader users) may not be able to use the modal, and in some cases may not know it is present on the page. This

<ul style="list-style-type: none"> • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>occurs on the following page: Mindmap.</p> <ul style="list-style-type: none"> • The focus order is not logical and presents content in an order that misrepresents its meaning or operability, so people who use a keyboard, switch control, or other assistive technology to navigate content may become disoriented or confused. This occurs on the following pages: Discover a Source; Studio - Create Artifact. • When a modal closes, keyboard focus is not returned to the control that opened the modal or to another logical location, so people who use the keyboard to navigate content (including screen reader users) may become disoriented on the page. This occurs on the following pages: History; Mindmap. • Keyboard focus is not confined within a modal, so people who use the keyboard to navigate content (including screen reader users) will be able to navigate outside of the modal, which may cause them to become disoriented. This occurs on the following page: Mindmap.
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) 	<p>Web: Supports</p>	<p>Web: The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.</p>

<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: All functionality that can be operated with a pointer can be operated with single-point actions.</p>
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) 	<p>Web: Supports</p>	<p>Web: For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort

<ul style="list-style-type: none"> • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>the function before completion or to undo the function after completion.</p> <ul style="list-style-type: none"> • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential.
<p><u>2.5.3 Label in Name</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3 (Open Functionality Software) • 11.2.5.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. The following exceptions exist:</p> <ul style="list-style-type: none"> • The accessible name of multiple interactive elements (such as links, buttons, or form inputs) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access those elements. This occurs in the following component: Welcome - Header and following pages: Chat; Studio - Create Artifact; Remove a Source. • The accessible name of an interactive element (such as a link, button, or form input) includes the visible label but has other words interspersed, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the following page: Pregenerated question.
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 and 2.2)</p>	<p>Web: Supports</p>	<p>Web: Functionality that can be triggered by device motion or user motion detected by a</p>

<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>device can be disabled, and the functionality can be operated without using motion.</p>
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p>	<p>Web: Supports</p>	<p>Web: The language of each page is correct and can be determined programmatically.</p>

<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.</p>
<p>3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) 	<p>Web: Supports</p>	<p>Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.</p>

<ul style="list-style-type: none"> • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.2.6 Consistent Help</u> (Level A 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: On web pages that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.</p>
<p><u>3.3.1 Error Identification</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	<p>Web: Supports</p>	<p>Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.</p>

<ul style="list-style-type: none"> • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: For most form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected. The following exceptions exist:</p> <ul style="list-style-type: none"> • The label of an element is not persistent (always visible on the page), so the element's purpose may be difficult to discover. This occurs on the following page: Discover a Source. • The dropdown/select control does not have a persistent visible label describing its purpose, making it unclear for users what the field is for. This occurs on the following pages: Discover a Source; Open Existing Notebook.
<p><u>3.3.7 Redundant Entry</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria - Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered information is no longer valid or</p>

		re-entering the information is essential or required to ensure security.
<p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: The name, role, state, and/or value of most user interface components can be programmatically determined. The following exception exists:</p> <ul style="list-style-type: none"> • A breadcrumb region is missing one or more required attributes in its HTML code that provides its programmatic role, name, state, or another property to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or current state of the region and its contents or how to interact with the region and contents. This occurs on the following page: Mindmap.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p>	Web: Not Applicable	Web: Live multimedia files with audio are not present, so synchronized captions are not required.

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.5 Audio Description (Pre-recorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) 	<p>Web: Not Applicable</p>	<p>Web: Pre-recorded multimedia files are not present, so audio descriptions are not required.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) 	Web: Supports	Web: The purpose for each input field that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 10.1.3.5 (Non-web document) • 11.1.3.5 (Open Functionality Software) • 11.1.3.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Web: Partially Supports</p>	<p>Web: Most text and images of regular text have the required color contrast ratio with their backgrounds. The following exceptions exist:</p> <ul style="list-style-type: none"> • The color contrast ratio between text and its background is less than 4.5:1 (or less than 3:1 for large text), so people who are colorblind or have low vision may have difficulty reading the text. This occurs on the following page: Add Sources. • The color contrast ratio between text and its background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the text. This occurs on the following pages: Discover a Source; Generated Briefing Doc; Mindmap; StudyGuide; Add Sources; Pregenerated question. • The color contrast ratios on hover or focus between the text labels of some controls and their background are less than 4.5:1, so people who are colorblind or have low vision may have

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		<p>difficulty reading the text label of each control. This occurs on the following pages: History; Generated Briefing Doc; Mindmap; StudyGuide; Add Sources; Discover a Source; Pregenerated question.</p>
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exceptions exist:</p> <ul style="list-style-type: none"> Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the following pages: Mindmap; Discover a Source. Functionality is lost when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to this functionality. This occurs on the following pages: Discover a Source; NotebookLM Refresh; Chat.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 	<p>Web: Partially Supports</p>	<p>Web: On most pages, when content can be presented visually using only text, an image of text is not used to present that text. The following exception exists:</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • Text on the page is text embedded in an image instead of actual text. An image of text is difficult to zoom or otherwise modify, so people who have low vision and need to enlarge text to read it may not be able to read the text. People with other disabilities that need to otherwise modify text to read it also may not be able to read this text. This occurs on the following page: Mindmap.
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10.1 (Open Functionality Software) • 11.1.4.10.2 (Closed Software) 	<p>Web: Partially Supports</p>	<p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exist:</p> <ul style="list-style-type: none"> • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content overlaps and cannot be seen or understood, so the overlapping content is not available to people with low vision who increase the size of text and other content using the browser zoom. This occurs in the following component: Welcome - Header and following page: Mindmap.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply		<ul style="list-style-type: none"> • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content or functionality becomes unavailable, so people with low vision who increase the size of text and other content using the browser zoom will not be able to access all of the page's content and/or functionality. This occurs on the following pages: Mindmap; Source Panel - Open a source doc; NotebookLM Refresh; Discover a Source.
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: The boundaries and indicators of the visual state(s) of each active user component and any graphics, required to understand content, have a 3:1 color contrast ratio with adjacent color(s) or their background.
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p>	Web: Partially Supports	Web: For most content, the spacing between letters, words, lines of text, and paragraphs

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>can be adjusted with no loss of content or functionality. The following exceptions exist:</p> <ul style="list-style-type: none"> • When text spacing is adjusted to help people with vision, reading, and/or cognitive disabilities, some content cannot be seen because it is cut off. This occurs on the following page: Source Panel - Open a source doc. • When text spacing is adjusted to help people with vision, reading, and/or cognitive disabilities, some or all of the content cannot be read because it overlaps with other content. This occurs on the following page: Mindmap.
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: In most cases, when additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it. The following exception exists:</p> <ul style="list-style-type: none"> • Content that appears on mouse hover or keyboard focus (such as tooltips, drop-down menus, or popups) is not dismissible, so it obscures all or part of the original content on the page. This occurs on the following page: Pregenerated question.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) - Does not apply • 11.2.4.5 (Open Functionality Software) - Does not apply • 11.2.4.5 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 	Web: Supports	Web: Multiple ways are available to find other pages on the site.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most headings and labels for form and interactive controls are informative. The following exceptions exist:</p> <ul style="list-style-type: none"> • Multiple buttons have identical programmatic labels but different functionality, and there is no programmatic context, so people who are blind and/or use a screen reader will not know or may be confused or misled about what each button does. This occurs on the following page: Chat. • A programmatic label for a control or form input field does not convey the purpose of the control or input, so people who are blind and/or use a screen reader may not understand what the control does or what data to enter. This occurs on the following page: Studio - Create Artifact.
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) 	<p>Web: Partially Supports</p>	<p>Web: In most cases, it is visually apparent which page element is currently receiving keyboard focus. The following exception exists:</p> <ul style="list-style-type: none"> • The visual focus indicator for multiple interactive elements (such as links, buttons, or form inputs) is not visible, so sighted people who use a keyboard to navigate content will not know when those elements are receiving focus. This occurs in the following component: Welcome - Header.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 – Does not apply</p>	Web: Supports	Web: When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 – Does not apply</p>	Web: Partially Supports	Web: Most functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author. The following exception exists: <ul style="list-style-type: none"> • Some functionality relies on a dragging movement with no single-pointer, single-touch alternative, making it difficult or impossible for persons with motor difficulties and users of assistive technology to perform the gesture. This occurs on the following page: Mindmap.
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only)</p>	Web: Supports	Web: The size of the target for each clickable control is at least 24 by 24 CSS pixels, except where the target size is determined by the user

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria - Does not apply Revised Section 508 – Does not apply		agent; there is a different control with equivalent functionality; the target is in line with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) - Does not apply • 11.3.1.2 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	Web: On most pages, the language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically. The following exception exists: <ul style="list-style-type: none"> • Portions of content on multiple pages that are in a different language from the rest of the content on the page are not programmatically assigned the language for the portion of content, so screen readers may mispronounce those parts of the content. This occurs on the following page: Studio - Create Artifact.
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p>	Web: Supports	Web: Navigation patterns that are repeated on web pages are presented in the same relative

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) - Does not apply • 11.3.2.3 (Open Functionality Software) - Does not apply • 11.3.2.3 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 		<p>order each time they appear and do not change order when navigating through the site.</p>
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web 	<p>Web: Supports</p>	<p>Web: Labels, names, and/or text alternatives for content that have the same functionality across multiple web pages are consistently identified.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>document) - Does not apply</p> <ul style="list-style-type: none"> • 11.3.2.4 (Open Functionality Software) - Does not apply • 11.3.2.4 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 		
<p><u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) 	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria - Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the website.</p>
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) - Does not apply • 11.4.1.3 (Open Functionality Software) - Does not apply • 11.4.1.3 (Closed Software) - Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exception exists:</p> <ul style="list-style-type: none"> • Some status messages are not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status messages, or they may not hear them in a timely fashion. This occurs on the following pages: Pregenerated question; Discover a Source; Source panel; Add Sources; Refresh.

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. Website was not audited for WCAG 2.2 AAA conformance.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Web: Partially Supports	<p>Web: Most functionality is usable without vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.1.1 Non-text Content ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 1.3.1 Info and Relationships ● 1.3.2 Meaningful Sequence ● 1.4.1 Use of Color ● 2.1.1 Keyboard ● 2.4.2 Page Titled ● 2.4.3 Focus Order ● 2.4.6 Headings and Labels ● 3.1.2 Language of Parts ● 4.1.2 Name, Role, Value
302.2 With Limited Vision	Web: Partially Supports	<p>Web: Most functionality is usable with limited vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.1.1 Non-text Content ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 1.3.1 Info and Relationships ● 1.3.2 Meaningful Sequence ● 1.4.1 Use of Color ● 1.4.3 Contrast (Minimum) ● 1.4.4 Resize text ● 1.4.5 Images of Text ● 2.1.1 Keyboard ● 2.4.2 Page Titled ● 2.4.3 Focus Order ● 2.4.6 Headings and Labels ● 2.4.7 Focus Visible ● 3.1.2 Language of Parts ● 3.3.2 Labels or Instructions ● 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Web: Partially Supports	<p>Web: Most functionality is usable without perception of color. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.4.1 Use of Color ● 1.4.3 Contrast (Minimum)

Criteria	Conformance Level	Remarks and Explanations
302.4 Without Hearing	Web: Partially Supports	<p>Web: Most functionality is usable without hearing. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 3.1.2 Language of Parts
302.5 With Limited Hearing	Web: Partially Supports	<p>Web: Most functionality is usable with limited hearing. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 3.1.2 Language of Parts
302.6 Without Speech	Web: Not Applicable	<p>Web: The product does not require the use of speech.</p>
302.7 With Limited Manipulation	Web: Partially Supports	<p>Web: Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 2.1.1 Keyboard ● 2.4.2 Page Titled ● 2.4.3 Focus Order ● 2.4.6 Headings and Labels ● 2.4.7 Focus Visible ● 4.1.2 Name, Role, Value
302.8 With Limited Reach and Strength	Web: Supports	<p>Web: All functionality is usable with limited reach and strength.</p>
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Partially Supports	<p>Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.1.1 Non-text Content ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 1.3.1 Info and Relationships ● 1.3.2 Meaningful Sequence ● 1.4.1 Use of Color ● 1.4.5 Images of Text ● 2.1.1 Keyboard

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • 2.4.2 Page Titled • 2.4.3 Focus Order • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 3.1.2 Language of Parts • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value

Chapter 4: [Hardware](#)

Notes: Not applicable. The product is not a hardware product.

Chapter 5: [Software](#)

Notes: Google Education - NoteBookLM is a web application, so its compliance with some of this chapter's criteria is dependent on the accessibility features available in the browser and operating system used to access this application.

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Web: Not Applicable	Web: The website or application is not platform software, so this requirement does not apply.
502.2.2 No Disruption of Accessibility Features	Web: Supports	Web: The website or application does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Web: Partially Supports	Web: The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be

		<p>perceived and conveyed by assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Web: Partially Supports	<p>Web: For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.3 Rows, Column, and Headers	Web: Supports	<p>Web: When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.</p>
502.3.4 Values	Web: Partially Supports	<p>Web: For most objects that have a current value or have a set or range of values associated with the object, the value(s) are available programmatically, so they can be perceived and conveyed by assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.5 Modification of Values	Web: Partially Supports	<p>Web: For most objects that allow the user to set or modify their value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Web: Partially Supports	<p>Web: For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value

502.3.7 Hierarchical Relationships	Web: Supports	Web: When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
502.3.8 Text	Web: Partially Supports	Web: Most text, text attributes (such as whether text is static or editable), and text boundaries are programmatically determinable, so they can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 1.3.1 Info and Relationships
502.3.9 Modification of Text	Web: Supports	Web: When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.10 List of Actions	Web: Supports	Web: When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
502.3.11 Actions on Objects	Web: Partially Supports	Web: For most of the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 2.1.1 Keyboard
502.3.12 Focus Cursor	Web: Partially Supports	Web: On most pages, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 2.4.7 Focus Visible

502.3.13 Modification of Focus Cursor	Web: Supports	Web: When the focus indicator, text insertion point, and/or text selector indicator can be modified, the modifications are programmatically determinable, so they can be performed by assistive technology.
502.3.14 Event Notification	Web: Partially Supports	Web: In most cases, status messages relevant to user interactions are available to, and presented by, assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 4.1.3 Status Messages
502.4 Platform Accessibility Features	Web: Not Applicable	Web: The website or application is not platform software, so this requirement does not apply.
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Web: Not Applicable	Web: The website or application is not a native software application to apply user preferences.
503.3 Alternative User Interfaces	Web: Not Applicable	Web: The website or application does not offer an alternative user interface.
<i>503.4 User Controls for Captions and Audio Description</i>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Web: Not Applicable	Web: The website or application does not contain media with an audio component that has closed captions.
503.4.2 Audio Description Controls	Web: Not Applicable	Web: The website or application does not contain media with a video component that offers audio descriptions.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing	See WCAG 2.2 section	See information in WCAG 2.2 section

504.2.1 Preservation of Information Provided for Accessibility	Web: Not Applicable	Web: The website or application is not an authoring tool.
504.2.2 PDF Export	Web: Not Applicable	Web: The website or application is not an authoring tool.
504.3 Prompts	Web: Not Applicable	Web: The website or application is not an authoring tool.
504.4 Templates	Web: Not Applicable	Web: The website or application is not an authoring tool.

Chapter 6: [Support Documentation and Services](#)

Criteria	Conformance Level	Remarks and Explanations
601 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Web: Not Applicable	Web: Documentation is not provided for the website or application.
602.3 Electronic Support Documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Web: Not Applicable	Web: Documentation is not provided for the website or application.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Web: Not Applicable	Web: Support services are not provided for the website or application.

Criteria	Conformance Level	Remarks and Explanations
603.3 Accommodation of Communication Needs	Web: Not Applicable	Web: Support services are not provided for the website or application.

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Partially Supports	<p>Web: Most functionality is usable without vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.1.1 Non-text Content ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 1.3.1 Info and Relationships ● 1.3.2 Meaningful Sequence ● 1.4.1 Use of Color ● 2.1.1 Keyboard ● 2.4.2 Page Titled ● 2.4.3 Focus Order ● 2.4.6 Headings and Labels ● 3.1.2 Language of Parts ● 4.1.2 Name, Role, Value ● 4.1.3 Status Messages
4.2.2 Usage with limited vision	Web: Partially Supports	<p>Web: Most functionality is usable with limited vision. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.1.1 Non-text Content ● 1.2.1 Audio-only and Video-only (Prerecorded) ● 1.4.1 Use of Color ● 1.4.3 Contrast (Minimum) ● 1.4.4 Resize text ● 1.4.5 Images of Text ● 1.4.10 Reflow ● 1.4.12 Text Spacing ● 1.4.13 Content on Hover or Focus ● 2.1.1 Keyboard ● 2.4.2 Page Titled ● 2.4.3 Focus Order ● 2.4.6 Headings and Labels ● 2.4.7 Focus Visible ● 3.3.2 Labels or Instructions ● 4.1.2 Name, Role, Value
4.2.3 Usage without perception of colour	Web: Partially Supports	<p>Web: Most functionality is usable without perception of color. Exceptions are noted in:</p> <ul style="list-style-type: none"> ● 1.4.1 Use of Color ● 1.4.3 Contrast (Minimum)

4.2.4 Usage without hearing	Web: Partially Supports	Web: Most functionality is usable without hearing. Exceptions are noted in: <ul style="list-style-type: none"> 502.3.8 1.2.1 Audio-only and Video-only (Prerecorded)
4.2.5 Usage with limited hearing	Web: Partially Supports	Web: Most functionality is usable with limited hearing. Exceptions are noted in: <ul style="list-style-type: none"> 1.2.1 Audio-only and Video-only (Prerecorded)
4.2.6 Usage with no or limited vocal capability	Web: Supports	Web: All functionality is usable without speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Web: Partially Supports	Web: Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in: <ul style="list-style-type: none"> 2.1.1 Keyboard 2.4.2 Page Titled 2.4.3 Focus Order 2.4.6 Headings and Labels 2.4.7 Focus Visible 2.5.3 Label in Name 4.1.2 Name, Role, Value
4.2.8 Usage with limited reach	Web: Partially Supports	Web: Most functionality is usable by people with limited reach. Exceptions are noted in: <ul style="list-style-type: none"> 2.5.3 Label in Name
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.
4.2.10 Usage with limited cognition, language or learning	Web: Partially Supports	Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> 1.4.12 Text Spacing 1.4.13 Content on Hover or Focus 2.4.2 Page Titled 2.4.3 Focus Order 2.4.6 Headings and Labels 2.4.7 Focus Visible

		<ul style="list-style-type: none"> • 3.3.2 Labels or Instructions • 4.1.3 Status Messages
4.2.11 Privacy	Web: Supports	Web: Where the product provides features for accessibility, it maintains the privacy of people who use these features at the same level as other users.

Chapter 5: [Generic Requirements](#)

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.2 Auditory output delivery including speech	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.3 Auditory output correlation	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.4 Speech output user control	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.5 Speech output automatic interruption	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.6 Speech output for non-text content	Web: Not Applicable	Web: The product does not have closed functionality.

5.1.3.7 Speech output for video information	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.8 Masked entry	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.9 Private access to personal data	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.10 Non-interfering audio output	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.11 Private listening volume	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.12 Speaker volume	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.13 Volume reset	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.14 Spoken languages	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.15 Non-visual error identification	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.4 Functionality closed to text enlargement	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.5 Visual output for auditory information	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Web: Not Applicable	Web: The product does not have closed functionality.
5.1.7 Access without speech	Web: Not Applicable	Web: The product does not have closed functionality.

5.2 Activation of accessibility features	Web: Partially Supports	Web: The product's documented accessibility features for specific needs cannot be activated without relying on a method that does not support that need.
5.3 Biometrics	Web: Not Applicable	Web: The product does not use biometric forms of user identification or control. All functionality is accessible through standard input methods (keyboard, mouse, UI).
5.4 Preservation of accessibility information during conversion	Web: Not Applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Web: Not Applicable	Web: The product has only non-mechanical operable parts, such as on-screen buttons, which do not require grasping, pinching, or twisting of the wrist to operate.
5.5.2 Operable parts discernibility	Web: Not Applicable	Web: The product has only non-mechanical operable parts, such as on-screen buttons, which do not require grasping, pinching, or twisting of the wrist to operate.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Web: Not Applicable	Web: Tactile or auditory status is not included in the product.
5.6.2 Visual status	Web: Not Applicable	Web: Visual status of controls isn't discernible in the product
5.7 Key repeat	Web: Not Applicable	Web: Key repeat functionality is not found in the product.
5.8 Double-strike key acceptance	Web: Not Applicable	Web: Double -strike key acceptance is not found in the product.

5.9 Simultaneous user actions	Web: Not Applicable	Web: The product does not require simultaneous user actions for core functionality. All actions triggered by key combinations are also available via the graphical user interface using mouse or sequential keyboard navigation.
-------------------------------	---------------------	--

Chapter 6: [ICT with Two-Way Gmail Communication](#)

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Web: Not Applicable	The product does not have two-way voice communication.
6.2 Real-time text (RTT) functionality	Heading cell – no response required	Heading cell – no response required
6.2.1.1 RTT communication	Web: Not Applicable	The product does not have two-way voice communication.
6.2.1.2 Concurrent Gmail and text	Web: Not Applicable	The product does not have two-way voice communication.
6.2.2.1 Visually distinguishable display	Web: Not Applicable	The product does not have two-way voice communication.
6.2.2.2 Programmatically determinable send and receive direction	Web: Not Applicable	The product does not have two-way voice communication.
6.2.2.3 Speaker identification	Web: Not Applicable	The product does not have two-way voice communication.
6.2.2.4 Visual indicator of Audio with RTT	Web: Not Applicable	The product does not have two-way voice communication.
6.2.3 Interoperability	Web: Not Applicable	The product does not have two-way voice communication.

Criteria	Conformance Level	Remarks and Explanations
6.2.4 RTT responsiveness	Web: Not Applicable	The product does not have two-way voice communication.
6.3 Caller ID	Web: Not Applicable	The product does not have two-way voice communication.
6.4 Alternatives to Gmail-based services	Web: Not Applicable	The product does not have two-way voice communication.
6.5 Video communication	Heading cell – no response required	Heading cell – no response required
6.5.1 General (informative)	Heading cell – no response required	Heading cell – no response required
6.5.2 Resolution	Web: Not Applicable	
6.5.3 Frame rate	Web: Not Applicable	
6.5.4 Synchronization between audio and video	Web: Not Applicable	
6.5.5 Visual indicator of audio with video	Web: Not Applicable	
6.5.6 Speaker identification with video (sign language) communication	Web: Not Applicable	
6.6 Alternatives to video-based services (advisory only)	Advisory – no response required	Advisory – no response required

Chapter 7: [ICT with Video Capabilities](#)

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Web: Not Applicable	Web: The website or application does not contain video that has synchronized audio.
7.1.2 Captioning synchronization	Web: Not Applicable	Web: The website or application does not contain video that has synchronized audio.
7.1.3 Preservation of captioning	Web: Not Applicable	Web: The website or application does not transmit, convert, or record video that has synchronized audio.
7.1.4 Captions characteristics	Web: Not Applicable	Web: The website or application does not contain video that has synchronized audio.
7.1.5 Spoken subtitles	Web: Not Applicable	Web: The website or application does not contain video that has synchronized audio.
7.2.1 Audio description playback	Web: Not Applicable	Web: The website or application does not contain video that has synchronized audio.
7.2.2 Audio description synchronization	Web: Not Applicable	Web: The website or application does not contain video that has synchronized audio.
7.2.3 Preservation of audio description	Web: Not Applicable	Web: The website or application does not transmit, convert, or

		record video that has synchronized audio.
7.3 User controls for captions and audio description	Web: Not Applicable	Web: The website or application does not contain media with an audio component that has closed captions or media with a video component that has audio description.

Chapter 8: Hardware

Notes: Not applicable. The product is not a hardware product.

Criteria	Conformance Level	Remarks and Explanations
8.1.1 Generic requirements	Heading cell – no response required	Heading cell – no response required
8.1.2 Standard connections	Not Applicable	The product is not a hardware product.
8.1.3 Colour	Not Applicable	The product is not a hardware product.
8.2 Hardware products with speech output	Heading cell – no response required	Heading cell – no response required
8.2.1.1 Speech volume range	Not Applicable	The product is not a hardware product.
8.2.1.2 Incremental volume control	Not Applicable	The product is not a hardware product.
8.2.2.1 Fixed-line devices	Not Applicable	The product is not a hardware product.
8.2.2.2 Wireless communication devices	Not Applicable	The product is not a hardware product.
8.3 Stationary ICT	Heading cell – no response required	Heading cell – no response required

8.3.2.1 Unobstructed high forward reach	Not Applicable	The product is not a hardware product.
8.3.2.2 Unobstructed low forward reach	Not Applicable	The product is not a hardware product.
8.3.2.3.1 Clear space	Not Applicable	The product is not a hardware product.
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	The product is not a hardware product.
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	The product is not a hardware product.
8.3.2.4 Knee and toe clearance width	Not Applicable	The product is not a hardware product.
8.3.2.5 Toe clearance	Not Applicable	The product is not a hardware product.
8.3.2.6 Knee clearance	Not Applicable	The product is not a hardware product.
8.3.3.1 Unobstructed high side reach	Not Applicable	The product is not a hardware product.
8.3.3.2 Unobstructed low side reach	Not Applicable	The product is not a hardware product.
8.3.3.3.1 Obstructed (\leq 255 mm) side reach	Not Applicable	The product is not a hardware product.
8.3.3.3.2 Obstructed (\leq 610 mm) side reach	Not Applicable	The product is not a hardware product.
8.3.4.1 Change in level	Not Applicable	The product is not a hardware product.
8.3.4.2 Clear floor or ground space	Not Applicable	The product is not a hardware product.
8.3.4.3.2 Forward approach	Not Applicable	The product is not a hardware product.
8.3.4.3.3 Parallel approach	Not Applicable	The product is not a hardware product.
8.3.5 Visibility	Not Applicable	The product is not a hardware product.

8.3.6 Installation instructions	Not Applicable	The product is not a hardware product.
8.4 Mechanically Operable parts	Heading cell – no response required	Heading cell – no response required
8.4.1 Numeric keys	Not Applicable	The product is not a hardware product.
8.4.2.1 Means of operation of mechanical parts	Not Applicable	The product is not a hardware product.
8.4.2.2 Force of operation of mechanical parts	Not Applicable	The product is not a hardware product.
8.4.3 Keys, tickets and fare cards	Not Applicable	The product is not a hardware product.
8.5 Tactile indication of speech mode	Not Applicable	The product is not a hardware product.

Clause [9: Web](#)

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the WCAG 2.2 section.

Chapter [10: Non-web Documents](#)

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Web: Not Applicable	
10.6 Audio description timing	Web: Not Applicable	

Chapter [11: Software](#)

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.5 Object information	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.6 Row, column, and headers	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.7 Values	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.8 Label relationships	Web: Not Applicable	Web: This criterion is not applicable to the product

11.5.2.9 Parent-child relationships	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.10 Text	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.11 List of available actions	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.12 Execution of available actions	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.13 Tracking of focus and selection attributes	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.14 Modification of focus and selection attributes	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.15 Change notification	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.16 Modifications of states and properties	Web: Not Applicable	Web: This criterion is not applicable to the product
11.5.2.17 Modifications of values and text	Web: Not Applicable	Web: This criterion is not applicable to the product
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Web: Not Applicable	Web: This criterion is not applicable to the product

11.6.2 No disruption of accessibility features	Web: Not Applicable	Web: This criterion is not applicable to the product
11.7 User preferences	Web: Not Applicable	Web: This criterion is not applicable to the product
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Web: Not Applicable	Web: This criterion is not applicable to the product
11.8.3 Preservation of accessibility information in transformations	Web: Not Applicable	Web: This criterion is not applicable to the product
11.8.4 Repair assistance	Web: Not Applicable	Web: This criterion is not applicable to the product
11.8.5 Templates	Web: Not Applicable	Web: This criterion is not applicable to the product

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Web: Not Applicable	Web: Documentation is not provided for the website or application.

12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Web: Not Applicable	Web: Support services are not provided for the website or application.
12.2.3 Effective communication	Web: Not Applicable	Web: Support services are not provided for the website or application.
12.2.4 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section

[Chapter 13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer

© 2025 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI’s “VPAT® International Edition Version 2.5Rev.” Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided “as is” and for informational purposes only.